



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/889,006	10/15/2001	Wolfram Zoller	11042.00	4613

7590

09/07/2004

LEONARD J. SANTISI
FROMMER LAWRENCE & HAUG
4660 LA JOLLA VILLAGE DRIVE
SUITE 850
SAN DIEGO, CA 92122

EXAMINER

ART UNIT PAPER NUMBER

DATE MAILED: 09/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 3727

NOTIFICATION OF NON-COMPLIANCE WITH THE REQUIREMENTS OF 37 CFR 1.192(c)

1. Claims 7-9 contain substantial errors as presented in the Appendix to the brief.

Accordingly, a new appeal brief with a correct listing of the claims for appeal is required.

Appellant is required to comply with provisions of 37 CFR 1.192(c).

To avoid dismissal of the appeal, Appellant must comply with the provisions of 37 CFR 1.192(c) within the longest of any of the following TIME PERIODS: (1) ONE MONTH or THIRTY DAYS, whichever is longer, from the mailing of this communication; (2) within the time period for reply to the action from which appeal has been taken; or (3) within two months from the date of the notice of appeal under 37 CFR 1.191. Extensions of these time periods may be granted under 37 CFR 1.136.

2. In order to reduce pendency and avoid potential delays, Group 3720 is encouraging FAXing of responses to Office Actions directly into the Group at (703) 872-9306. This practice may be used for filing papers not requiring a fee. It may also be used for filing papers which require a fee by applicants who authorize charges to a PTO deposit account. Please identify the examiner and art unit at the top of your cover sheet. Papers submitted via FAX into Group 3720 will be promptly forwarded to the examiner.

3. It is called to applicant's attention that if a communication is faxed before the reply time has expired, applicant may submit the reply with a "Certificate of Facsimile" which merely asserts that the reply is being faxed on a given date. So faxed, before the period for reply has expired, the reply may be considered timely. A suggested format for a certificate follows:

I hereby certify that this correspondence for Application Serial No. _____ is being facsimiled to The U.S. Patent and Trademark Office via fax number (703) 872-9306 on the date shown below:

Typed or printed name of person signing this certificate

Signature _____

Date _____

Art Unit: 3727


4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robin Hylton whose telephone number is (703) 308-1208. The examiner works a part-time schedule and can normally be reached on Monday - Friday from 9:00 a.m. to 1:00 p.m. (Eastern time).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lee Young, can be reached on (703) 308-2572.

If in receiving this Office Action it is apparent to applicant that certain documents are missing, e.g., copies of references cited, form PTO-1449, form PTO-892, etc., requests for copies of such papers should be directed to Technology Center 3700 Customer Service Office at (703) 306-5648.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-1148 or may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RAH
August 24, 2004



Robin A. Hylton
Primary Examiner
GAU 3727